

# Принадлежности для распределения и транспортировки продовольствия, ящики и контейнеры для перевозки пищевых продуктов BD, UST, KO, BDC, SPA

## Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Саранск (8342)22-96-24  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35

Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: [mhi@nt-rt.ru](mailto:mhi@nt-rt.ru) || сайт: <http://metos.nt-rt.ru/>

CODE: MG4781187

**Flat belt conveyor Metos 6000**  
**400V50Hz3N**



**Technical specifications**

Attachments

**GENERAL**

Description	Flat belt conveyor Metos 6000 400V50Hz
-------------	--

**DIMENSIONS AND CAPACITY**

Item width mm	6000
Item depth mm	500
Item height mm	900
Package volume	0.01 m3
Package dimensions (LxWxH)	0x0x0
Net weight	165 kg
Package weight	205 kg

**TECHNICAL INFORMATION**

Connection voltage V	400
Number of phases	3N
Type of electrical connection	Semifixed

CODE: MG4781192

**Flat belt conveyor Metos 7000  
400V50Hz3N**



**Technical specifications**

Attachments

**GENERAL**

Description	Flat belt conveyor Metos 7000 400V50Hz
-------------	--

**DIMENSIONS AND CAPACITY**

Item width mm	7000
Item depth mm	500
Item height mm	900
Package volume	0.01 m3
Package dimensions (LxWxH)	0x0x0
Net weight	185 kg
Package weight	225 kg

**TECHNICAL INFORMATION**

Connection voltage V	400
Number of phases	3N
Type of electrical connection	Semifixed

CODE: MG4781156

**Flat belt conveyor Metos 4000  
400V50Hz3N**



**Technical specifications**

Attachments

<b><u>GENERAL</u></b>	
Description	Flat belt conveyor Metos 4000 400V50Hz
<b><u>DIMENSIONS AND CAPACITY</u></b>	
Item width mm	4000
Item depth mm	500
Item height mm	900
Package volume	0.01 m3
Package dimensions (LxWxH)	0x0x0
Net weight	165 kg
Package weight	165 kg
<b><u>TECHNICAL INFORMATION</u></b>	
Connection voltage V	400
Number of phases	3N
Type of electrical connection	Semifixed



CODE: MG4781196

## Flat belt conveyor Metos 8000 400V50Hz3N

### Technical specifications

#### **GENERAL**

Description	Flat belt conveyor Metos 8000 400V50Hz
-------------	--

#### **DIMENSIONS AND CAPACITY**

Item width mm	8000
Item depth mm	500
Item height mm	900
Package volume	0.01 m3
Package dimensions (LxWxH)	0x0x0
Net weight	205 kg
Package weight	245 kg

#### **TECHNICAL INFORMATION**

Connection voltage V	400
Number of phases	3N
Type of electrical connection	Semifixed



CODE: MG4781172

## Flat belt conveyor Metos 5000 400V50Hz3N

### Technical specifications

#### GENERAL

Description	Flat belt conveyor Metos 5000 400V50Hz
-------------	--

#### DIMENSIONS AND CAPACITY

Item width mm	5000
Item depth mm	500
Item height mm	900
Package volume	0.01 m3
Package dimensions (LxWxH)	0x0x0
Net weight	185 kg
Package weight	185 kg

#### TECHNICAL INFORMATION

Connection voltage V	400
Number of phases	3N
Type of electrical connection	Semifixed



CODE: MG4201095

## Basket dispenser Metos KO 50-50

Structure: Solid self-supporting structure made from stainless steel.  
Characteristics: Basket stacker to receive different types of crockery in baskets up to 500...

### Full description

### Technical specifications

Structure: Solid self-supporting structure made from stainless steel. Characteristics: Basket stacker to receive different types of crockery in baskets up to 500x500mm. Integrated, removable stacking platform made from stainless steel, plastic coated, can be used as additional space for crockery. Constant dispensing height by means of manually adjustable tension spring system, lateral guidance of the platform by ball bearing with little friction.

Ergonomics: Two ergonomically shaped pushing handles with integrated bumpers protecting against injuries at hands and damages at the appliance. Optimum protection against collision due to the two bumpers. Chassis: Four swivel castors, two of them with brake, castors made from corrosion resistant plastic, free of maintenance, with thread protection, precision ball bearing, 125mm, according to DIN 18867, part 8. Technical data: Stacking platform: 478x478x115mm Capacity: additional 6 baskets (115mm high) Highest dispensing height: 750mm Load capacity: 100kg

GENERAL	
Description	Basket dispenser Metos KO 50-50
DIMENSIONS AND CAPACITY	
Product capacity	six baskets 500×500x115 mm
Item width mm	712
Item depth mm	760
Item height mm	900
Package volume	0.505 m3
Package dimensions (LxWxH)	77x72x91 cm
Net weight	40.5 kg
Package weight	41.5 kg
FEATURES	
Cleaning	hand wash
Function	cold
Max load kg	150

## Universal crockery dispenser Metos UST 57-28,neutral

Universal crockery dispenser for storing round and rectangular crockery items with ø or edge lengths of 80-280 mm. Max. 615 crockery items (with cover) Platform: 570 × 280 mm 2 guide rods

Dispenser in self-supporting and hygienic design, made of high-quality stainless steel. Closed, smooth outer housing with a stacking compartment including compartment inner panelling and removable stacking platform made of plastic-coated stainless steel grating with a ball bearing platform guide. Consistent output height thanks to manually adjustable stainless steel tension spring system. Easy cleaning of stacking compartment from above. Optimum manoeuvrability thanks to bow-shaped handle on upper side of structure. Two massive polymer corner bumpers serve as bumpers in the direction of transport and protect the equipment as well as building-side walls from being damaged. Dispenser runs on 4 swivel casters of which 2 with total locks, ø 125 mm, fastened by means of screw-on plates and several screws.

The Hupfer universal crockery dispenser UST 57-28 provides a wide range of variation options for stacking tableware with different shapes and dimensions, and features the smallest external dimensions and the lowest empty weight in comparison to other products, while the plug-in bow-shaped handles ensures optimal handling properties, especially when used in niches of serving counters. The push handle also guarantees effective protection against injuries to the hands. The installation height of 900 mm is the standard working height in food distribution.





## Universal crockery dispenser Metos UST 57-28,neutral

Product capacity	510 without or 615 with cover
Item width mm	510
Item depth mm	750
Item height mm	900
Package volume	0.418
Unit of volume	m3
Package volume	0.418 m3
Package length	55
Package width	80
Package height	95
Package unit of dimension	cm
Package dimensions (LxWxH)	55x80x95 cm
Net weight	39.13
Net weight	39.13 kg
Gross weight	40.5
Package weight	40.5 kg
Unit of weight	kg
Cleaning	hand wash
Function	cold
Max load kg	100

## Bowl dispenser Metos BD/UH 60-60 4S,heated

Closed platform dispenser heated with circulating air, with height-adjustable platform for storing up to 16 stacks of ø 140-300 mm round crockery items and rectangular crockery items with edge lengths of 160-270 mm.

With convection heating

Platform: 600 × 600 mm Max. crockery temperature: 80°C Max.  
372 crockery items (with cover)

Dispenser in self-supporting and hygienic design, made of high-quality stainless steel. Closed, smooth outer housing with thermal insulation through high-quality special insulation. Inner panelling on all sides, with high-quality mirror sheets for optimised energy usage. Stacking compartment including compartment inner panelling consisting of vertical plastic-coated struts. Removable platform made of high-quality stainless steel, with ball bearing platform guide. Consistent output height thanks to manually adjustable stainless steel tension spring system. Easy cleaning of stacking compartment from above. Reduced temperature losses and heating time thanks to cover hood made of grey polypropylene. Heated by power module with integrated motor, fan impeller and stainless steel tubular heating element for automatic convection air operation, operated using On/Off switch with integrated indicator light, thermostat-controlled using a continuously variable, ergonomically-shaped thermostat that is easy to read even from a distance, with temperature limiter as per VDE. Current supply via dimensionally stable and extractable spiral cable with angle plug. Dummy socket in switch plate as plug park. Four massive polymer corner



bumpers, of which two at the upper corners of the structure that serve as bumpers and protect the equipment on all sides as well as building-side walls from being damaged, with integrated, ergonomically-shaped push bars. Dispenser runs on 4 swivel casters of which 2 with total locks, ø 4.9" (125 mm), fastened by means of screw-on plates and several screws.

The Hupfer platform dispenser BD/UH 60-60 4S has the largest usable stacking space in comparison to other products, while two push handles installed on the corners of the unit ensure optimal handling properties. The ergonomically shaped push handles also guarantee effective protection against injuries to the hands. The installation height of 900 mm is the standard working height in food distribution. bumpers, of which two at the upper corners of the structure that serve as bumpers and protect the equipment on all sides as well as building-side walls from being damaged, with integrated, ergonomically-shaped push bars. Dispenser runs on 4 swivel casters of which 2 with total locks, ø 4.9" (125 mm), fastened by means of screw-on plates and several screws.

The Hupfer platform dispenser BD/UH 60-60 4S has the largest usable stacking space in comparison to other products, while two push handles installed on the corners of the unit ensure optimal handling properties. The ergonomically shaped push handles also guarantee effective protection against injuries to the hands. The installation height of 900 mm is the standard working height in food distribution.

## Bowl dispenser Metos BD/UH 60-60 4S,heated

Product capacity	306 without or 372 with cover
Item width mm	760
Item depth mm	991
Item height mm	1084
Package volume	0.01
Unit of volume	m3
Package volume	0.01 m3
Package length	0
Package width	0
Package height	0
Package dimensions (LxWxH)	0x0x0
Net weight	91.99
Net weight	91.99 kg
Gross weight	92.99
Package weight	92.99 kg
Unit of weight	kg
Connection power kW	2
Fuse Size A	10
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50
Protection rating (IP)	X5
Type of electrical connection	Plug
Cleaning	hand wash
Function	cold+warm
Power range kW	2
Max load kg	150

CODE: MG4235110

## Universal crockery dispenser Metos UST/H57-28,heated

Universal crockery dispenser with static heating, for storing round and rectangular crockery items with  $\varnothing$  or edge lengths of 80-280 mm.



### Full description

### Technical specifications

Universal crockery dispenser with static heating, for storing round and rectangular crockery items with  $\varnothing$  or edge lengths of 80-280 mm.

Max. 615 crockery items (with cover) Max. crockery temperature: 80°C Platform: 570 × 280 mm 2 guide rods

Dispenser in self-supporting and hygienic design, made of high-quality stainless steel. Closed, smooth outer housing with thermal insulation through high-quality special insulation. Inner panelling on all sides, with high-quality mirror sheets for optimised energy usage. Stacking compartment with compartment inner panelling and removable stacking platform made of plastic-coated stainless steel grating with ball bearing platform guide. Consistent output height thanks to manually adjustable stainless steel tension spring system. Easy cleaning of stacking compartment from above. Reduced temperature losses and heating time thanks to cover hood made of polycarbonate. Heated by stainless steel tubular heating element, operated using On/Off switch with integrated indicator light, thermostat-controlled via a continuously variable, ergonomically-shaped temperature controller that is easy to read even from a distance, with temperature limiter as per VDE. Current supply via dimensionally stable and extractable spiral cable with angle plug. Dummy socket in switch plate as plug park. Optimum manoeuvrability thanks to bow-shaped handle on upper side of structure. Two massive polymer corner bumpers serve as bumpers in the direction of transport and protect the equipment as well as building-side walls from being damaged. Dispenser runs on 4 swivel casters of which 2 with total locks,  $\varnothing$  125 mm, fastened by means of screw-on plates and several screws.

The Hupfer universal crockery dispenser UST/H 57-28 provides a wide range of variation options for stacking tableware with different shapes and dimensions, and features the lowest empty weight in comparison to other products, while the plug-in bow-shaped handles ensures optimal handling properties, especially when used in niches of serving counters. The push handle also guarantees effective protection against injuries to the hands. The installation height of 900 mm is the standard working height in food distribution.

**GENERAL**

Description	Universal crockery dispenser Metos UST/H57-28,heated
-------------	--

**DIMENSIONS AND CAPACITY**

Product capacity	510 without or 615 with cover
Item width mm	510
Item depth mm	750
Item height mm	1023
Package volume	0.418 m3
Package dimensions (LxWxH)	55x80x95 cm
Net weight	55.75 kg
Package weight	56.75 kg

**TECHNICAL INFORMATION**

Connection power kW	1
Fuse Size A	5
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50/60
Protection rating (IP)	X5
Type of electrical connection	Plug

**FEATURES**

Cleaning	hand wash
Function	warm
Power range kW	1
Max load kg	100

## Basket dispenser Metos KO/UH 50-50, heated

Basket dispenser heated by circulating air for portioning of warm food bowls

- externa measures (WxDxH): 760 x 852 x 900 mm
- continuous temperature control +20°C...+110°C
- removable stacking platform: plastic coated steel basket
- platform size 500 x 500 x 150 mm
- additional basket capacity 9 x 75 mm high, 6 x 115 mm high
- capacity depending on bowl size ca 216 pcs
- max. load 150 kg
- stainless steel structure
- universal tension spring system
- counterweight easily adjusted
- hygienic, transparent polycarbonate cover supplied as standard
- electric connection: 230V, 1~, 50 Hz, 2,0 kW, spiral cable
- protection class IPX 5
- to be connected for example to the conveyor belt socket
- illuminated ON/OFF switch
- high-quality insulation
- easy to clean
- 4 corrosion resistant, maintenance free castors Ø125 mm, 2 lockable
- bumpers on each corner
- two ergonomically shaped pushing handles



## Basket dispenser Metos KO/UH 50-50, heated

Product capacity	six baskets 500×500x115 mm
Item width mm	850
Item depth mm	761
Item height mm	1078
Package volume	0.01
Unit of volume	m3
Package volume	0.01 m3
Package length	0
Package width	0
Package height	0
Package dimensions (LxWxH)	0x0x0
Net weight	68.41
Net weight	68.41 kg
Gross weight	69.41
Package weight	69.41 kg
Unit of weight	kg
Connection power kW	2
Fuse Size A	8
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50
Protection rating (IP)	X5
Electrical cable length mm	1800
Type of electrical connection	Plug
Cleaning	hand wash
Function	cold+warm
Power range kW	2
Max load kg	150



## Basket dispenser trolley

### Metos BDC/50-50, cold

For 500 \* 500 and 508 \* 508 baskets. Capacity 4 baskets of height 115 mm or 7 baskets of height 75 mm

- fan-assisted
- extraction capacity 0,34 kW
- power 0,22 kW
- electrical connection 230V1N 50 Hz
- minimum glass temperature +5 degrees centigrade
- isolated
- 4 wheels, 2 lockable, wheel diameter 125 mm
- load capacity 90 kg
- net weight 75 kg
- stainless steel cover
- handles
- flexible cable length 1,8 m, socket holder



## Basket dispenser trolley Metos BDC/50-50, cold

Product capacity	four baskets 500×500x115 mm
Item width mm	1091
Item depth mm	820
Item height mm	1046
Package volume	0.01
Unit of volume	m3
Package volume	0.01 m3
Package length	0
Package width	0
Package height	0
Package dimensions (LxWxH)	0x0x0
Net weight	101.36
Net weight	101.36 kg
Gross weight	102.36
Package weight	102.36 kg
Unit of weight	kg
Connection power kW	0.34
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50
Protection rating (IP)	X4
Type of electrical connection	Plug
Cooling capacity W	400
Function	cold
Max load kg	75

## Bain Marie trolley Metos SPA EB-2

Bain marie trolley for 2 GN 1/1-200 dishes

- external measures (W x D x H): 916 x 678 x 900 mm
- for 2 x GN 1/1-200 and its subdivisions
- completely made of high quality stainless steel
- all-around thermal insulation of the wells
- heating with tubular stainless steel radiators
- 2 separate wells with drain taps
- continuous temperature adjustment, each well separately  
+30...+90C
- both wet and dry heating possible
- easy to clean because of seamless, deep-drawn wells with large radius
- on/off- switch and indicator
- protected against jet-water (EN 60529)
- flexible spiral cable and protected socket holder
- bottom shelf supplied as standard
- 4 swivel castors, 2 with brake, stainless steel plate-fixing  
dimension, Ø125 mm
- bumpers on each corner, 2 ergonomically formed push  
handles



## Bain Marie trolley Metos SPA EB-2

Product capacity	2 × GN 1/1-200 or smaller
Item width mm	677
Item depth mm	924
Item height mm	900
Package volume	1.046
Unit of volume	m <sup>3</sup>
Package volume	1.046 m <sup>3</sup>
Package length	120
Package width	80
Package height	109
Package unit of dimension	cm
Package dimensions (LxWxH)	120x80x109 cm
Net weight	35.64
Net weight	35.64 kg
Gross weight	36.64
Package weight	36.64 kg
Unit of weight	kg
Connection power kW	1.4
Fuse Size A	6
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50
Protection rating (IP)	X5
Type of electrical connection	Plug
Cleaning	hand wash
Function	warm
Power range kW	1.4
Max load kg	110

## Blackbox Maxi Metos EPP- Termo 65L

Light and durable solution for all kind of transportation, for both hot and cold food

- weight only 3,6 kg
- material foamed polypropylene EPP
- oil and chemical resistant
- fold down handles
- tightening belt
- easy to load and unload without equipment
- machinewash proof, temperature range: -40 °C - +110 °C
- inner dimensions 500x400x320 mm (Note! a GN1/1 container does not fit into the box)



## Blackbox Maxi Metos EPP-Termo 65L

Product capacity	65 litres
Item width mm	600
Item depth mm	500
Item height mm	400
Package volume	0.12
Unit of volume	m3
Package volume	0.12 m3
Package length	60
Package width	50
Package height	40
Package unit of dimension	cm
Package dimensions (LxWxH)	60x50x40 cm
Net weight	3.6
Net weight	3.6 kg
Gross weight	3.6
Package weight	3.6 kg
Unit of weight	kg

# Transport cabinet Metos EPP

Thermal insulated cabinet-type transport box. For GN 1/1 containers

- 11 pairs of guiderails
- hinged door



---

## Transport cabinet Metos EPP

Item width mm	635
Item depth mm	410
Item height mm	550
Package volume	0.143
Unit of volume	m3
Package volume	0.143 m3
Package length	63.5
Package width	41
Package height	55
Package unit of dimension	cm
Package dimensions (LxWxH)	63.5x41x55 cm
Net weight	4.5
Net weight	4.5 kg
Gross weight	4.5
Package weight	4.5 kg
Unit of weight	kg



# Food transportation box

## Metos Thermobox E600

Food transport box Metos Thermobox E600D with static heating. Inside out made of aluminium.



## Food transportation box Metos Thermobox E600

Product capacity	4xGN1/1-65 conduit means 80 mm
Item width mm	330
Item depth mm	645
Item height mm	415
Package volume	0.075
Unit of volume	m3
Package volume	0.075 m3
Package length	42
Package width	33
Package height	54
Package unit of dimension	cm
Package dimensions (LxWxH)	42x33x54 cm
Net weight	14.5
Net weight	14.5 kg
Gross weight	14.5
Package weight	14.5 kg
Unit of weight	kg
Connection power kW	0.28
Fuse Size A	10
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50
Protection rating (IP)	44
Type of electrical connection	Plug

# Transport container Metos Safe Hot 10 l

Transport container for transporting hot and cold food.

- construction made of durable, strong stainless steel, the inner pot is seamless and easy to clean
- double wall construction provides excellent insulation
- keeps the food at right temperature for hours
- the lid is sealed with six patch locks and a silicon gasket the rubber ring on the bottom of the container prevents the container from sliding and absorbs the noise
- the containers can be stacked



## Transport container Metos Safe Hot 10 I

Product capacity	10 l
Item width mm	¥320
Item depth mm	170
Package volume	0.021
Unit of volume	m3
Package volume	0.021 m3
Package length	35
Package width	35
Package height	17
Package unit of dimension	cm
Package dimensions (LxWxH)	35x35x17 cm
Net weight	6.4
Net weight	6.4 kg
Gross weight	7
Package weight	7 kg
Unit of weight	kg
Raw material	Stainless steel

# Transport container Metos Safe Hot 20 l

Transport container for transporting hot and cold food.

- construction made of durable, strong stainless steel, the inner pot is seamless and easy to clean
- double wall construction provides excellent insulation
- keeps the food at right temperature for hours
- the lid is sealed with six patch locks and a silicon gasket the rubber ring on the bottom of the container prevents the container from sliding and absorbs the noise
- the containers can be stacked



## Transport container Metos Safe Hot 20 l

Product capacity	20 l
Item width mm	¥320
Item depth mm	310
Package volume	0.039
Unit of volume	m3
Package volume	0.039 m3
Package length	35
Package width	35
Package height	32
Package unit of dimension	cm
Package dimensions (LxWxH)	35x35x32 cm
Net weight	8
Net weight	8 kg
Gross weight	8.5
Package weight	8.5 kg
Unit of weight	kg
Raw material	Stainless steel

## Black box Metos EPP- Handy GN 1/2

Light and durable solution for all kinds of transportation, for both hot and cold food

- capacity max 3 pcs GN 1/2-65
- smart moulding so that the lid closes firmly
- lots of space for hands to grip the GN dishes
- material foamed polypropylene EPP
- oil and chemical resistant
- pile firmly on top of each other
- machinewash proof, temperature range: -40 °C - +110 °C
- can be equipped with cold gel pad 4170037 or 4170036



## Black box Metos EPP-Handy GN 1/2

Product capacity	20 L, 3 * GN 1/2-65
Item width mm	450
Item depth mm	330
Item height mm	300
Package volume	0.045
Unit of volume	m3
Package volume	0.045 m3
Package length	45
Package width	33
Package height	30
Package unit of dimension	cm
Package dimensions (LxWxH)	45x33x30 cm
Net weight	0.9
Net weight	0.9 kg
Gross weight	0.9
Package weight	0.9 kg
Unit of weight	kg



# Blackbox Metos EPP-Termo GN1/1

Light and durable solution for all kinds of transportation, for both hot and cold food

- weight only 2,1 kg
- material foamed polypropylene EPP
- oil and chemical proof
- fold down handles
- tightening belt
- easy to load and unload without additional equipment
- machinewash proof, temperature range: -40 °C - +110 °C
- capacity 2 x GN 1/1-100 or 3 x GN 1/1-65



## Blackbox Metos EPP-Termo GN1/1

Product capacity	2* GN 1/1-100 containers
Item width mm	650
Item depth mm	400
Item height mm	300
Package volume	0.078
Unit of volume	m3
Package volume	0.078 m3
Package length	65
Package width	40
Package height	30
Package unit of dimension	cm
Package dimensions (LxWxH)	65x40x30 cm
Net weight	2.3
Net weight	2.3 kg
Gross weight	2.3
Package weight	2.3 kg
Unit of weight	kg



По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижегород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Саранск (8342)22-96-24  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35

Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: [mhi@nt-rt.ru](mailto:mhi@nt-rt.ru) || сайт: <http://metos.nt-rt.ru/>